

Residential Energy Compliance Path - Energy Code Requirements of the 2015 IRC

(Submit with application for a building permit)

Project Address: 425 Bee Caves Rd Lucas TX 75002

N1101.13 (R401.2) – Projects shall comply with one of the following:

☐ **Option #1a – Prescriptive: Sections N1101.14 (R401) through N1104 (R404):**

N1102 (R402) Building Thermal Envelope. {Using table N1102.1.2 (R402.1.2) INSULATION AND FENESTRATION REQUIREMENTS BY COMPONENT}
N1103 (R403) Systems.
N1104 (R404) Electrical Power and Lighting Systems (Mandatory).
Plus all mandatory provisions

☒ **Option #1b – Prescriptive-Using REScheck™ UA approach Only: Sections N1101.14 (R401) through N1104 (R404):**

N1102 (R402) Building Thermal Envelope.
N1103 (R403) Systems.
N1104 (R404) Electrical Power and Lighting Systems (Mandatory).
Plus all mandatory provisions

☐ **Option #2 – Section N1105 (R405) Performance Approach**

Plus all mandatory provisions

☐ **Option #3 – ENERGY STAR Certified Homes®**

☐ **Option #4 – Section N1106 (R406) Energy Rating Index Compliance Alternative**

Minimum envelope requirements \geq Table 402.1.2 or 402.1.4 – 2009 IECC
Plus all mandatory provisions

☐ **Option #5 – ESL 4ACH⁵⁰ Tradeoff Code Equivalency Compliance^a**


Envelope Component	Option #1	Option #2
R402.4 Air Leakage	$\leq 4\text{ACH}^{50}$	$\leq 4\text{ACH}^{50}$
Wall Insulation Value	$R_{13} + R_3^b$	$R_{13} + R_3^b$
Fenestration U-factor/SHGC	$\leq 0.32/0.25$	$\leq 0.32/0.25$
Ceiling R-value	$\geq R_{49}$	$\geq R_{49}$
Duct Insulation	R8	R6
Radiant Barrier Required	No	Yes

^a Except for the values listed in the table, all other mandatory code provisions are applicable.

^b First value is cavity insulation, second is continuous insulation or insulated siding.

NOTE: Attach appropriate compliance option “compliance report”

I certify that I have reviewed the construction documents including, but not necessarily limited to, insulation materials and R-values; fenestration U-factors and SHGC values; area-weighted average U-factor and SHGC calculations; mechanical system design criteria; mechanical and service water heating system and equipment types, sizes and efficiencies; equipment and system controls; duct sealing, duct and piping insulation and location; and air sealing details; and that the project as designed satisfies the minimum requirements for the compliance approach selected above.

Print Name: Roger K. Taylor, Sign Name:  Date: 2/6/2018
Plans Examiner
HERS #4576699, IECC #8149407

Prepared July 2016 by the Energy and Green Advisory Board of the Regional Codes Coordinating Committee, a committee of the North Central Texas Council of Governments (NCTCOG). www.nctcog.org/envir/codes.